	Application No.	Applicant(s)
Notice of Allowability	10/073,065	MOHAPATRA ET AL.
	Examiner	Art Unit
	Myron G. Hill	1648
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT F of the Office or upon petition by the applicant. See 37 CFR 1.31	pears on the cover sheet will be (OR REMAINS) CLOSED in bi) or other appropriate committee RIGHTS. This application is s	th the correspondence address n this application. If not included unication will be mailed in due course. THIS
1. A This communication is responsive to papers filed 2/14200	<u>06</u> .	. •
2.  The allowed claim(s) is/are <u>33,37-41,45,49 and 50 renum</u>	<u>bered 1-9</u> .	•
<ul> <li>3. Acknowledgment is made of a claim for foreign priority to a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have</li> <li>2. Certified copies of the priority documents have</li> </ul>	re been received.	
<ol><li>Copies of the certified copies of the priority de</li></ol>	ocuments have been receive	d in this national stage application from the
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		• .
Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDON! THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	MENT of this application.	
4. A SUBSTITUTE OATH OR DECLARATION must be subr INFORMAL PATENT APPLICATION (PTO-152) which give		
5. CORRECTED DRAWINGS ( as "replacement sheets") mu	ıst be submitted.	
(a) I including changes required by the Notice of Draftsper	son's Patent Drawing Review	w ( PTO-948) attached
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) including changes required by the attached Examiner Paper No./Mail Date	's Amendment / Comment or	r in the Office action of
Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in		
6. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT		
	•	
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview S Paper No.	oformal Patent Application (PTO-152) ummary (PTO-413), /Mail Date
3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/Paper No./Mail Date 2/14/06, 5/1/06	′08), 7. ⊠ Examiner's	Amendment/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ☐ Examiner's 9. ☐ Other	Statement of Reasons for Allowance
	•	

Art Unit: 1648

## **DETAILED ACTION**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The withdrawn method claims are rejoined and allowed.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Myron G. Hill whose telephone number is 571-272-0901. The examiner can normally be reached on 8:30 am-5 pm Mon-Fri.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bruce Campell can be reached on 571-272-0974. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

W

Myron G. Hill Patent Examiner 12 May 2006

BRUCE R. CAMPELL, PH.D SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 1600

Brun Campell